



Suggested List Prices

Effective Nov 1 2015

Central Illinois Manufacturing Company
 201 N. Champaign Street
 Bement, IL 61813
 www.cim-tek.com

Part No.	Dia.	Len	Description	Beta Ratio	Thread	Bypass	Ctn Qty	Sug List Price Ea
20 Series, Spin-On Filter, 1"-12 UNF								
70136	3.75	5.50	Cellulose Resin-Impregnated Media	$\beta_{4.5} = 75$	1"-12 UNF	NA	12	\$9.23
70134	3.75	5.50	Cellulose Resin-Impregnated Media	$\beta_{17} = 75$	1"-12 UNF	NA	12	\$8.78
70135	3.75	5.50	Cellulose Resin-Impregnated Media	$\beta_{33} = 75$	1"-12 UNF	NA	12	\$8.60
70146	3.75	8.68	Cellulose Media, Extended Length	$\beta_{17} = 75$	1"-12 UNF	NA	12	\$12.74
70147	3.75	8.68	Cellulose Media, Extended Length	$\beta_{33} = 75$	1"-12 UNF	NA	12	\$12.47
70749	3.75	5.50	High-Performance Microglass Media	$\beta_3 = 200$	1"-12 UNF	NA	12	\$21.06
70141	3.75	5.50	High-Performance Microglass Media	$\beta_6 = 200$	1"-12 UNF	NA	12	\$20.45
70140	3.75	5.50	High-Performance Microglass Media	$\beta_{10} = 200$	1"-12 UNF	NA	12	\$20.06
70139	3.75	5.50	High-Performance Microglass Media	$\beta_{20} = 200$	1"-12 UNF	NA	12	\$19.66
70152	3.75	8.68	High-Performance Microglass Media	$\beta_{10} = 200$	1"-12 UNF	NA	12	\$28.22
70611	3.75	5.50	X-Glass, High Dirt Holding Capacity	$\beta_3 = 200$	1"-12 UNF	NA	12	\$27.30
70137	3.75	5.50	Hydrosorb Water-Removal Media	$\beta_{24} = 75$	1"-12 UNF	NA	12	\$13.58
70145	3.75	5.50	Wire Mesh Media, 144 micron	144 μ m	1"-12 UNF	NA	12	\$15.39
30 Series, Spin-On Filter, 1-1/2"-16 UNF								
70195	3.75	5.50	Cellulose Resin-Impregnated Media	$\beta_{17} = 75$	1-1/2"-16 UNF	NA	12	\$13.44
70206	3.75	8.00	Cellulose Media, Extended Length	$\beta_{17} = 75$	1-1/2"-16 UNF	NA	12	\$17.27
70409	3.75	5.50	High-Performance Microglass Media	$\beta_3 = 200$	1-1/2"-16 UNF	NA	12	\$24.81
70201	3.75	5.50	High-Performance Microglass Media	$\beta_6 = 200$	1-1/2"-16 UNF	NA	12	\$24.09
70202	3.75	5.50	High-Performance Microglass Media	$\beta_{10} = 200$	1-1/2"-16 UNF	NA	12	\$23.60
70200	3.75	5.50	High-Performance Microglass Media	$\beta_{20} = 200$	1-1/2"-16 UNF	NA	12	\$22.90
70213	3.75	8.00	High-Performance Microglass, Ext Length	$\beta_6 = 200$	1-1/2"-16 UNF	NA	12	\$32.52
70198	3.75	5.50	Hydrosorb Water-Removal Media	$\beta_{24} = 75$	1-1/2"-16 UNF	NA	12	\$16.28
70209	3.75	8.00	Hydrosorb Water-Removal, Extended Length	$\beta_{24} = 75$	1-1/2"-16 UNF	NA	12	\$23.57
40 Series, Spin-On Filter, 1-1/2"-16 UNF								
70157	5.00	7.00	Cellulose Resin-Impregnated Media	$\beta_{17} = 75$	1-1/2"-16 UNF	NA	6	\$18.68
70158	5.00	7.00	Cellulose Resin-Impregnated Media	$\beta_{33} = 75$	1-1/2"-16 UNF	NA	6	\$18.30
70171	5.00	11.00	Cellulose Media, Extended Length	$\beta_{17} = 75$	1-1/2"-16 UNF	NA	6	\$24.23
70172	5.00	11.00	Cellulose Media, Extended Length	$\beta_{33} = 75$	1-1/2"-16 UNF	NA	6	\$23.76
70373	5.00	7.00	High-Performance Microglass Media	$\beta_3 = 200$	1-1/2"-16 UNF	NA	6	\$34.77
70164	5.00	7.00	High-Performance Microglass Media	$\beta_6 = 200$	1-1/2"-16 UNF	NA	6	\$33.76
70163	5.00	7.00	High-Performance Microglass Media	$\beta_{10} = 200$	1-1/2"-16 UNF	NA	6	\$33.10
70162	5.00	7.00	High-Performance Microglass Media	$\beta_{20} = 200$	1-1/2"-16 UNF	NA	6	\$32.43
70406	5.00	11.00	High-Performance Microglass Media	$\beta_3 = 200$	1-1/2"-16 UNF	NA	6	\$44.10
70179	5.00	11.00	High-Performance Microglass Media	$\beta_6 = 200$	1-1/2"-16 UNF	NA	6	\$42.82
70178	5.00	11.00	High-Performance Microglass Media	$\beta_{10} = 200$	1-1/2"-16 UNF	NA	6	\$41.98
70177	5.00	11.00	High-Performance Microglass Media	$\beta_{20} = 200$	1-1/2"-16 UNF	NA	6	\$41.15
70614	5.00	11.00	X-Glass, High Dirt Holding Capacity	$\beta_3 = 200$	1-1/2"-16 UNF	NA	6	\$52.89



Suggested List Prices

Effective Nov 1 2015

Central Illinois Manufacturing Company
 201 N. Champaign Street
 Bement, IL 61813
 www.cim-tek.com

Part No.	Dia.	Len	Description	Beta Ratio	Thread	Bypass	Ctn Qty	Sug List Price Ea
70160	5.00	7.00	Hydrosorb Water-Removal Media	$\beta_{24} = 75$	1-1/2"-16 UNF	NA	6	\$27.32
70174	5.00	11.00	Hydrosorb Water-Removal Media	$\beta_{24} = 75$	1-1/2"-16 UNF	NA	6	\$35.56
70182	5.00	11.00	Hydroglass Water-Removal Media	$\beta_9 = 75$	1-1/2"-16 UNF	NA	6	\$56.62
70168	5.00	7.00	Wire Mesh Media, 144 micron	144 μ m	1-1/2"-16 UNF	NA	6	\$29.15
70183	5.00	11.00	Wire Mesh Media, 144 micron	144 μ m	1-1/2"-16 UNF	NA	6	\$52.75
Compressor Filters								
70669	3.75	5.50	Cellulose Resin-Impregnated Media	$\beta_{33}=75$	3/4"- 16	9#, AD	12	\$14.84
70315	3.75	5.50	Cellulose Resin-Impregnated Media	$\beta_{33}=75$	1" - 12	N/A	12	\$9.69
70322	3.75	5.50	Cellulose Resin-Impregnated Media	$\beta_{17}=75$	1" - 12	15#	12	\$12.85
70548	3.75	5.50	Cellulose Resin-Impregnated Media	$\beta_{17}=75$	1" - 12	N/A	12	\$9.80
70672	3.75	5.50	Cellulose Resin-Impregnated Media	$\beta_{24.5}=75$	1" - 12	25#	12	\$13.65
70326	3.75	5.50	Cellulose Resin-Impregnated Media	$\beta_{17}=75$	1 1/4"-12	15#	12	\$14.51
70562	3.75	7.00	Cellulose Resin-Impregnated Media	$\beta_{24.5}=75$	3/4"- 16	30#	6	\$17.29
70313	3.75	8.68	Cellulose Resin-Impregnated Media	$\beta_{33}=75$	1" - 12	30#	12	\$16.25
70668	3.75	8.68	Cellulose Resin-Impregnated Media	$\beta_{24.5}=75$	1" - 12	25#	12	\$16.67
70751	3.75	8.68	Cellulose Resin-Impregnated Media	$\beta_{33}=75$	1" - 12	30#	12	\$16.76
70321	3.75	8.68	Cellulose Resin-Impregnated Media	$\beta_{17}=75$	1 1/4"-12	N/A	12	\$16.76
70547	5.00	7.00	Cellulose Resin-Impregnated Media	$\beta_{17}=75$	1 1/2"-16	N/A	6	\$20.19
70316	5.00	11.00	Cellulose Resin-Impregnated Media	$\beta_{17}=75$	1 1/2"-16	N/A	6	\$24.79
70317	3.75	5.50	High-Performance Microglass Media	$\beta_{20} = 200$.970"-20	N/A	12	\$22.02
70320	3.75	5.50	High-Performance Microglass Media	$\beta_{20} = 200$.970"-20	25#	12	\$23.76
70323	3.75	5.50	High-Performance Microglass Media	$\beta_{10} = 200$.970"-20	N/A	12	\$23.21
70739	3.75	5.50	High-Performance Microglass Media	$\beta_{20} = 200$	M20-1.5	15#	12	\$25.37
70318	5.00	7.00	High-Performance Microglass Media	$\beta_{20} = 200$	1 1/4-11BSP	N/A	6	\$32.55
70324	5.00	7.00	High-Performance Microglass Media	$\beta_{10} = 200$	1 1/4-11BSP	N/A	6	\$39.15
70319	5.00	11.00	High-Performance Microglass Media	$\beta_{20} = 200$	1 1/4-11BSP	N/A	6	\$42.66
70325	5.00	11.00	High-Performance Microglass Media	$\beta_{10} = 200$	1 1/4-11BSP	N/A	6	\$47.43
Centurion Housings and Elements								
40001			Centurion I Single Housing Assembly, 30GPM		1" NPT I/O		1	\$203.57
40013			Centurion III Dual Housing, 60GPM		1-1/2"NPT I/O		1	\$465.98
40020			Centurion IV Triple Element Hsg, 90GPM		2"NPT I/O		1	\$692.78
30002	4.50	9.06	Cellulose Media Element (E10)	$\beta_{17} = 75$			1	\$19.59
30004	4.50	9.06	Cellulose Media Element (E30)	$\beta_{33} = 75$			1	\$19.61
30065	4.50	9.06	Cellulose Media Element (E02)	$\beta_{4.5} = 75$			1	\$27.54
30033	4.50	9.06	Hydrosorb Water-Removal Element (EHS10)	$\beta_{24}=75$			1	\$40.71
30036	4.50	9.06	Hydrosorb Water-Removal Element (EHS30)	30 μ m			1	\$39.22
30195	4.50	9.06	High-Performance Microglass Element	$\beta_{10} = 200$			1	\$44.80



Suggested List Prices

Effective Nov 1, 2015

Central Illinois Manufacturing Company
 201 N. Champaign Street
 Bement, IL 61813
 www.cim-tek.com

Part No.	Dia.	Len	Description	Beta Ratio	Thread	Bypass	Ctn Qty	Sug List Price Ea
Replacement Elements								
30128	3.87	9.25	Cellulose Media Element, 1.60 ID	$\beta_{17} = 75$			12	\$40.91
30129	3.87	9.25	Cellulose Media Element, 1.60 ID	$\beta_{4.5} = 75$			12	\$45.47
30130	3.87	9.25	Cellulose Media Element, 1.60 ID	$\beta_{33} = 75$			12	\$37.53
30126	3.87	9.25	Hydrosorb Water-Removal Element, 1.60 ID	$\beta_{24} = 75$			12	\$48.52

Mounting Adaptors								
50163			Aluminum Adaptor, 1½"-16 UNF		1-1/2" NPT I/O		1	\$55.60
50181			Aluminum Adaptor, 1"-12 UNF		3/4" NPT I/O		6	\$28.08
50182			Aluminum Adaptor, 1"-12 UNF, gauge ports		3/4" NPT I/O		1	\$29.00
50183			Aluminum Adaptor, 1"-12 UNF		3/4" NPT I/O	3#	1	\$30.01
50185			Aluminum Adaptor, 1"-12 UNF		3/4" NPT I/O	25#	1	\$30.98
50186			Aluminum Adaptor, 1"-12 UNF, gauge ports		3/4" NPT I/O	25#	1	\$31.95
50244			Aluminum Adaptor, 1"-12 UNF, gauge ports		1/2" NPT I/O		1	\$31.23